| Approved Fo | TOP SECRET TOP SECRET | 25 X 1 |
|--|---|---------------|
| (c) NATIONA | L PHOTOGRAPHIC INTERPRETATION CENTER | |
| | Attachment to 6 June 1967 Page 1 Copy 58 | 25X1 |
| REFERENCE TO: | LAUNCH SITES 15 AND 21 TSK MISSILE AND SPACE CENTER, USSR | 25X1 |
| 1. SIGNIFICANCE: | A PROBABLE ELECTRONIC FACILITY IS SUPERIMPOSED ON LAUNCH SITE 15; LAUNCH SITE 21, PREVIOUSLY THOUGHT TO CONSIST OF 2 SILOS, ACTUALLY HAS 2 SOFT PADS. | |
| 2. LOCATION: | APPROXIMATELY 34.5 NM ENE OF THE TOWN OF PLESETSK. | |
| 3. REMARKS: | LAUNCH SITES 15 AND 21 WERE ORIGINALLY REPORTED AS ONE SITE, DESIGNATED SITE 15. HOWEVER, THE SITE WAS LATER REDESIGNATED AND THE WESTERN PORTION OF THE FACILITY BECAME SITE 21. BOTH SITES ARE OF TYPES NOT OBSERVED PREVIOUSLY. AT SITE 15, 3 CONFIRMED SILOS HAVE BEEN IDENTIFIED. SITE 21 WAS THOUGHT TO HAVE CONTAINED 2 SILOS. | |
| 4. COLLATERAL: 5. FIRST IDENTIFICATION: | NONE. | 25X1 |
| NEGATION DATE: | | |
| 7. SUBSEQUENT COVERAGE: These notes have been prepared of should be restricted to the particular porting period as indicated by the Division, NPIC. | 3 KH-4, 2 KH-7, for briefing purposes only and should not be used for detailed analytical work. Their use ar briefing board(s) they were prepared for and must be considered valid only for the redate of issue. For information concerning these notes contact Chief. Collateral Support | 25X1 25X1 |
| GROUP : Excluded from automatic downgrading and declassification | TOP SECRET | _5/\(\) |

| | Approved For Release 2006/11/20 : CIA-RDP78T05929A002500050033-3 TOP SECRET | 25 X 1 |
|----|--|---------------|
| | (c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER | |
| | Attachment to 6 June 1967 Page 2 | 25X1 |
| 8. | DIMENSIONS/ SPECIFICATIONS: OUTER DIAMETER OF SILOS AT SITE 15: INNER DIAMETER OF SILOS : CYLINDRICAL STRUCTURES NORTH AND SOUTH OF SITE 15 : | 25X1 |
| 9. | MISSION READOUT: A COMMON SECURITY FENCE ENCLOSES BOTH SITES 15 AND 21. PORTIONS OF THE CONDUIT BETWEEN THE 3 SILOS AT SITE 15 HAVE BEEN BACK- FILLED. A PROBABLE ELECTRONIC FACILITY IS SUPERIMPOSED ON THE SITE. TWO CYLINDRICAL STRUCTURES, EACH APPROXIMATELY IN DIAMETER WITH A SMALL OPENING IN THE TOP, ARE LOCATED APPROXIMATELY 600 FT NORTH AND SOUTH OF THE CENTER OF THE SITE. A SECOND PAIR OF STRUCTURES IS LOCATED AT THE INSIDE EDGE OF THE LOOP ROAD AT OPPOSITE ENDS OF THE LONG AXIS OF THE LOOP. THESE 4 STRUCTURES, IDENTIFIED AS POSSIBLE ANTENNA POSITIONS, FORM A PLUS-SHAPED FIGURE ON THE SITE. THE SOUTHERN CYLINDRICAL STRUCTURE HAS BEEN EARTH MOUNDED. LAUNCH SITE 21, PREVIOUSLY THOUGHT TO CONSIST OF 2 SILOS, ACTUALLY HAS 2 SOFT PADS. A LIGHT TOWER IS LOCATED INBOARD OF EACH PAD. THERE IS NO EVI- DENCE OF AN ERECTOR MECHANISM OR LAUNCH STAND ON EITHER PAD. CONSIDERABLE ACTIVITY, SCARRING, AND DITCHING ARE OBSERVED AT BOTH LAUNCH SITES 15 AND 21. | 25X1 |
| | These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the re- | 25X1 |
| | should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue. For information concerning these notes contact Chief, Collateral Support TOP SECRET | 25X1 |

Approved For Release 2006/11/20 : CIA-RDP78T05929A002500050033-3





